

APPENDIX 5
THERAPEUTIC TARGET TABLE FOR HAEMODIALYSIS PATIENTS

The table below shows the required therapeutic targets that have to be achieved in $\geq 70\%$ of haemodialysis patients Within the first year. This percentage is expected to increase and be improved every year. These targets will be revised on yearly basis by the Central Committee, Hospital Administration Department, MOH. These therapeutic ranges may need to be adjusted and updated for paediatric patients.

N.	Therapeutic Parameter	Therapeutic Target
1	Vascular Access	($\geq 80\%$ AV fistula)
2	Blood flow rate (QB)	Average QB ≥ 350 ml/min
3	Number of dialysis treatment / week	≥ 3 times /week
4	Duration of dialysis treatment time	≥ 4 hours
5	KT/V	≥ 1.4
6	Calcium	8.42-10 mg/dl
7	Phosphorus	2.5-5.5 mg/dl
8	Ca \times PO ₄ Index	< 55 mg ² /dl ²
9	IPTH	150-600 pg/ml
10	Hb	10-12 gm/dl
11	Serum Ferritin	200-800 ng/ml
12	Transferrin Saturation	20-40%
13	Serum Albumin	> 3.5 gm/dl
14	NPCR	> 1.0 g/kg/day
15	Mean Arterial Pressure	≤ 105 mmHg
16	Intradialytic body weight gain	$< 4\%$
17	Viral hepatitis seroconversion / year	0%
18	Patient satisfaction /Quality of life	Treatment/Services