



# Approach to handling suspected and confirmed MERS-CoV cases

V 5.0

### **MERS-CoV** protocols

### **Purpose of this document**

 Establish and communicate clinical operations protocols that must be followed for MERS-CoV cases diversions to appropriate hospitals



### Disclaimer for use of this document

### This document:

- Is NOT intended as a comprehensive MERS-CoV guideline
- Should be supplemented with other important guidelines such as infection prevention and control and isolation guidelines which are found on the MOH website<sup>1</sup>:
  - MERS-CoV readiness guideline :
     http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf
- Is subject to change as guidelines are updated

1 To be updated

### **Acknowledgments**

### This document was developed with

- Dr. Anees Sindi, Deputy Commander, Command and Control Center
- Dr. Wail Tashkandi, Clinical Operations Platform Leader, Command and Control Center
- Dr. Ahmad Wazzan, President, Saudi Arabian Society of Emergency Medicine
- Dr. Tariq Madani, Advisor to HE Minister of Health, Chairman of Scientific Advisory Board
- Dr. Tariq Al-Arnous, Control Tower Platform Leader, Command and Control Center

For any comments, clarifications, or recommendations pertaining to this document please email Dr. Wail Tashkandi at <a href="https://www.wtashkandi@moh.gov.sa">wtashkandi@moh.gov.sa</a>

- Guiding principles
- Case definitions
- MERS-CoV designated hospitals & teams definitions
- MERS-CoV diversion plans
- Transfer protocols



### General guiding principles to follow in handling MERS-CoV cases (1 of 2)

The following principles were followed to create the referral pathways. They should be followed in case of doubt or when handling cases not specifically addressed in this guide:

- All hospital staff should be aware of latest MERS-CoV case definition<sup>1</sup>
- At all times, handle suspect patients with appropriate protection equipment (i.e. PPEs applied on patients and by health professionals) and follow all recommended IPC guidelines<sup>2</sup>
- When transferring patients to other locations, transfer protocols<sup>2</sup> should be followed
- For other infectious diseases not covered in this guideline, please follow standard MoH guidelines

General

<sup>1</sup> Case definitions available on MoH websites: MERS-CoV: <a href="http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf">http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf</a>

<sup>2</sup> Transfer protocols available in this document

# General guiding principles to follow in handling MERS-CoV cases (2 of 2)

## Suspected cases

- Important: Whenever a suspect case of MERS-CoV is identified, call the infectious diseases hotline (937) to report the case and receive up-to-date guidance
- When possible (i.e. isolation room and adequate personnel available), preference is to admitting suspect MERS-CoV patients in same facility that received patient rather than transferring patient to other ERs or MERS-CoV Designated Hospitals (MDH)

# Confirmed cases

 Confirmed MERS-CoV patients should be transferred to MERS-CoV Designated Hospitals (MDH) following appropriate transfer protocols<sup>1</sup>

1 Transfer protocols available in this document



- Guiding principles
- Case definitions
- MERS-CoV designated hospitals & teams definitions
- MERS-CoV diversion plans
- Transfer protocols



### **MERS-CoV** case definition

### Suspect case (patients who should be tested for MERS-CoV)

 A person with fever and community-acquired pneumonia or acute respiratory distress syndrome based on clinical or radiological evidence

OR

- II. A hospitalized patient with healthcare associated pneumonia based on clinical and radiological evidence
   OR
- III. A person with
  - Acute febrile (≥38° C) illness AND
  - Body aches, headache, diarrhea, or nausea/vomiting, with or without respiratory symptoms AND
  - 3) Unexplained **leucopenia** (WBC<3.5x10/L) and **thrombocytopenia** (platelets<150x10/L)
- IV. A person (including health care workers) who had protected or unprotected exposure to a confirmed or probable case of MERS-CoV infection and who presents with upper or lower respiratory illness within 2 weeks after exposure

- A probable case is a patient in category I or II with absent or inconclusive laboratory results for MERS-CoV and other possible pathogens who is a close contact of a laboratoryconfirmed MERS-CoV case or who works in a hospital where MERS-CoV cases are cared for
- A confirmed case is a person with laboratory confirmation of MERS-CoV infection

SOURCE: KSA MoH MERS-CoV Infection Prevention and Control Guidelines <a href="http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf">http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf</a>

- Guiding principles
- Case definitions
- MERS-CoV designated hospitals & teams definitions
- MERS-CoV diversion plans
- Transfer protocols



# Specific hospitals have been designated to handle confirmed MERS-CoV cases

# Western province \* King Fahad Hospital, Jeddah Central province \* Prince Mohammad bin Abdulaziz Hospital, Riyadh Dammam medical complex, Dammam

province

# Dedicated teams, reachable through the 937 hotline, will be in place to assist in managing MERS-CoV cases

Teams, reachable through the 937 hotline, who can help in diagnosing, handling, or transferring cases


MERS-CoV

- MERS-CoV Team: Intensivist (ICU consultant) and Infectious Diseases consultant on call that can help in diagnosing cases over the phone and advising on appropriate course of action to take
- ECMO team: Emergency team that responds when there is an ECMO need to insert ECMO and transfer the patient


- Guiding principles
- Case definitions
- MERS-CoV designated hospitals & teams definitions
- MERS-CoV diversion plans
- Transfer protocols



### Identification of suspected MERS-CoV case




### Diversion plan for a suspect MERS-CoV (ICU and non-ICU) patient



- 1 Refer to MERS-CoV case definition as per MoH's MERS-CoV online guideline <a href="http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf">http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf</a>
- 2 Follow transfer from hospital protocol presented in this guide
- 3 List of MDHs presented in this guide



### Diversion plan for a confirmed MERS-CoV (ICU and non-ICU) patient




- 1 Refer to MERS-CoV case definition as per MoH's MERS-CoV online guideline <a href="http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf">http://www.moh.gov.sa/en/CCC/Regulations/Final-MERS-CoV%20IPC%20Guidelines-24.06.2014.pdf</a>
- 2 Follow protocol for confirming +ve MERS-CoV case
- 3 Follow transfer from hospital protocol
- 4 List of MDHs presented in this guide

- Guiding principles
- Case definitions
- MERS-CoV designated hospitals & teams definitions
- MERS-CoV diversion plans
- Transfer protocols



### Transfer protocol of a MERS-CoV case from a Hospital to an MDH



### Transfer protocol for ECMO

